Results for "(rpr<and>(tim*stamp* or tim* <near/2> stamp* or rtt or round <near/3> tim*))"

e-mail printer

Your search matched **38** of **1253851** documents.

A maximum of **250** results are displayed, **25** to a page, sorted by **Publication year** in **Descending** order.

» Search Options

View Session History

New Search

Modify Search

(rpr<and>(tim*stamp* or tim* <near/2> stamp* or rtt or round <near/3> tim*))

Check to search only within this results set

Display Format: Citation Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Select Article Information 1-25

1. **RINGOSTAR: an evolutionary AWG-based WDM upgrade of optical ring networks**
Herzog, M.; Maier, M.; Wolisz, A.;
Lightwave Technology, Journal of
Volume 23, Issue 4, April 2005 Page(s):1637 - 1651
Digital Object Identifier 10.1109/JLT.2005.844501
AbstractPlus | References | Full Text: PDF(592 KB) IEEE JNL

2. **Embedded Test Control Schemes Using iBIST for SOCs**
Kay, D.; Chung, S.; Mourad, S.;
Instrumentation and Measurement, IEEE Transactions on
Volume 54, Issue 3, June 2005 Page(s):956 - 964
Digital Object Identifier 10.1109/TIM.2005.847349
AbstractPlus | References | Full Text: PDF(672 KB) IEEE JNL

3. **A deterministic bound for the access delay of resilient packet rings**
Changeheng Huang; Peng, H.; Fengjie Yuan;
Communications Letters, IEEE
Volume 9, Issue 1, Jan 2005 Page(s):87 - 89
Digital Object Identifier 10.1109/LCOMM.2005.1375251
AbstractPlus | Full Text: PDF(484 KB) IEEE JNL

4. **Measurement-Based Reconfiguration in Optical Ring Metro Networks**
Bianco, A.; Finochietto, J.M.; Giarratana, G.; Neri, F.; Piglione, C.;
Lightwave Technology, Journal of
Volume 23, Issue 10, Oct. 2005 Page(s):3156 - 3166
Digital Object Identifier 10.1109/JLT.2005.856158
AbstractPlus | Full Text: PDF(296 KB) IEEE JNL

5. **PROTECTORATION: A Fast and Efficient Multiple-Failure Recovery Technique for Resilient Packet Ring Using Dark Fiber**
Maier, M.; Herzog, M.; Scheutzow, M.; Reisslein, M.;
Lightwave Technology, Journal of
Volume 23, Issue 10, Oct. 2005 Page(s):2816 - 2838
Digital Object Identifier 10.1109/JLT.2005.856165
AbstractPlus | Full Text: PDF(664 KB) IEEE JNL

6. **A Performability-Oriented Software Rejuvenation Framework for Distributed Appli**
Tai, A.T.; Tso, K.S.; Sanders, W.H.; Chau, S.N.;
Dependable Systems and Networks, 2005. DSN 2005. Proceedings. International Confe on
28-01 June 2005 Page(s):570 - 579
Digital Object Identifier 10.1109/DSN.2005.12
AbstractPlus | Full Text: PDF(232 KB) IEEE CNF

EAST 10/020,619
DF 11/4/05

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1307	resilien$4 ADJ1 packet$1 ADJ1 ring$1 OR RPR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:51
L3	40147	tim$4stamp$3 OR tim$3 NEAR2 stamp$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:52
L4	37	L1 AND L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 13:10
L5	347	L3 SAME ring$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 13:11
L6	112	L3 SAME ring$1 AND ("370"/$6.ccls. OR "709"/$6.ccls. OR "398"/$6.ccls. OR "359"/$6.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 13:23
L7	2633	L3 SAME (congest$5 OR load$3 OR balanc$4 OR load$1balanc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 13:23
L8	711	L7 AND ("370"/$6.ccls. OR "709"/$6.ccls. OR "398"/$6.ccls. OR "359"/$6.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 13:25
L9	421	L3 SAME (congest$5 OR load$3 OR balanc$4 OR load$1balanc$3) AND (ring$3 OR dual$1ring$1 OR metropolitan$1 ADJ1 area$1 ADJ1 network$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 13:25
L10	139	L9 AND ("370"/$6.ccls. OR "709"/$6.ccls. OR "398"/$6.ccls. OR "359"/$6.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 14:14
L11	29039	load$3 NEAR2 balanc$3 OR load$3balanc$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 13:40

L12	2355	L3 AND L11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 13:41
L13	104	L3 SAME L11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 13:54
L14	1996	(time$1stamp$3 OR tim$3) NEAR2 field$1 AND field$1 NEAR3 packet$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 13:56
L15	494	L14 AND (congest$5 OR load$3 NEAR2 balanc$4 OR load$1balanc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 13:56
L16	1883	(time$1stamp$3 OR tim$3) NEAR2 field$1 SAME packet$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 14:07
L20	488	L16 AND (congest$5 OR load$3 NEAR2 balanc$4 OR load$1balanc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 13:57
L21	29	L16 SAME (congest$5 OR load$3 NEAR2 balanc$4 OR load$1balanc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 13:57
L22	25	(time$1stamp$3 OR tim$3) NEAR2 field$1 SAME packet$1 SAME threshold$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 14:13
L23	269258	tim$3 WITH differenc$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 14:13
L24	406	tim$3 WITH differenc$3 SAME (congest$5 OR load$3 NEAR3 balanc$4 OR load$1balanc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 14:14
L25	124	L24 AND ("370"/$6.ccls. OR "709"/$6.ccls. OR "398"/$6.ccls. OR "359"/$6.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 14:35

L26	629	(round$1trip$3 OR round$1 ADJ1 trip$3 OR RTT) SAME (congest$5 OR load$3 NEAR2 balanc$4 OR load$1balanc$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 14:36
L27	116	(round$1trip$3 OR round$1 ADJ1 trip$3 OR RTT) SAME (congest$5 OR load$3 NEAR2 balanc$4 OR load$1balanc$3) AND (ring$1 OR dual$1ring$1 OR resilien$4 ADJ1 packet$1 ADJ1 ring$1 OR RPR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 14:37
L30	30966	(ring$1 OR dual$1ring$1) WITH (header$1 OR field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 15:08
L31	43229	medium ADJ1 access ADJ1 control$1 OR MAC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 15:08
L32	1309	(medium ADJ1 access ADJ1 control$1 OR MAC) SAME (ring$1 OR dual$1ring$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 15:10
L36	760	(medium ADJ1 access ADJ1 control$1 OR MAC) WITH (ring$1 OR dual$1ring$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 15:10
L37	170	L36 AND (tim$3 OR time$1stamp$1) WITH (header$1 OR field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 15:10
L39	4	(("5878032") or ("6058102") or ("6868094") or ("6438603")).PN.	USPAT	OR	OFF	2005/11/04 16:07
L40	2	"5235593".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 17:12
L41	849	congestion$3 NEAR3 (bit$1 OR field$1 OR header$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 17:25
L42	106	L41 AND L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 17:12

L43	146889	tim$3 NEAR3 (differenc$3 OR subtract$4 OR minus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 17:26
L44	74	L43 AND L41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 17:27
S1	1486	sridhar.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/26 15:45
S2	16569	load$1balanc$3 OR load$3 ADJ1 balanc$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:40
S3	26	S1 AND S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 12:48
S4	7	(("5974033") or ("6198743") or ("6064651") or ("5864540") or ("5703870") or ("5541913") or ("6260072")).PN.	USPAT	OR	OFF	2005/10/24 12:49
S5	300	S2 SAME ring$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:04
S6	181	resilien$4 ADJ1 packet$1 ADJ1 ring$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 12:51
S9	126	RPR AND ("370"/$6.ccls. OR "398"/$6.ccls. OR "359"/$6.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:36
S12	4995	metropolitan ADJ1 area$1 ADJ1 network$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:38
S13	392	S12 AND S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:39

S15	3468	(counter$1clock$3wis$3 OR counter$1 ADJ1 clock$3wis$3 OR counter ADJ1 clock$3 ADJ1 wis$3) NEAR3 ring$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 14:58
S16	43	S15 AND S2	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 15:08
S17	1198	bi$1direction$3 ADJ3 ring$1 OR BLSR	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 16:48
S18	53	S17 AND S2	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 15:08
S20	65	"802.17"	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 16:30
S23	48	spatial$3 ADJ1 re$1us$3 ADJ1 protocol$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 18:51
S24	28882	qualit$3 ADJ2 servic$3 OR QoS	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 18:51
S25	105	S17 AND S24	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/24 18:52
S50	1564	bi$1direction$4 NEAR3 ring$1 OR BLSR	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 16:48
S51	27749	drop$3 SAME delay$3	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 16:49
S52	31	S50 AND S51	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 16:52

S53	25170	test$3 WITH delay$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 16:52
S54	16	S50 AND S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 16:59
S56	8846	class$1of$1servic$3 OR class NEAR2 servic$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 16:59
S57	42	S50 AND S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:09
S59	2	WDM$1RPR$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:19
S60	270	class ADJ1 bas$3 ADJ1 queu$3 OR cbq$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:20
S61	16318	token ADJ1 bucket$1 OR peak$3 ADJ2 rate$1 OR maximum ADJ1 burst$3 ADJ1 size$1 OR mbs	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:21
S62	32	S60 AND S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:30
S63	369	370/223-224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:30
S64	25	370/223-224.ccls. AND (class$1of$1servic$3 OR class NEAR2 servic$3 OR qualit$3 NEAR2 service$1 OR quailit$3of$1servic$3 OR QoS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:37
S65	134	extreme ADJ1 network$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:38

S66	30	extreme ADJ1 network$3 AND (class$1of$1servic$3 OR class NEAR2 servic$3 OR qualit$3 NEAR2 service$1 OR quailit$3of$1servic$3 OR QoS)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:42
S67	284	370/257-258.ccls.	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:43
S68	16	370/257-258.ccls. AND (class$1of$1servic$3 OR class NEAR2 servic$3 OR qualit$3 NEAR2 service$1 OR quailit$3of$1servic$3 OR QoS) AND ring$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:44
S69	1264	(medium ADJ1 access aDJ1 protocol$1 OR MAC) SAME ring$1	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:44
S70	285	(medium ADJ1 access aDJ1 protocol$1 OR MAC) SAME ring$1 AND (class$1of$1servic$3 OR class NEAR2 servic$3 OR qualit$3 NEAR2 service$1 OR quailit$3of$1servic$3 OR QoS)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 17:44
S71	32	(resilien$4 ADJ1 packet$1 ADJ1 ring$1) AND (DWDM OR WDM OR wave$1length$1)	US-PGPUB ; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/03 13:32